

## EMERGENCY MEDICAL ALERT

I have a LEFT brachial plexus injury.  
Please follow the guidelines below for treatment:

1. No needles in the LEFT arm due to decreased circulation and high risk of infection.
2. Immobilize the arm if injury is suspected.
3. No blood pressure readings in the LEFT arm.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

## EMERGENCY MEDICAL ALERT

I have a LEFT brachial plexus injury.  
Please follow the guidelines below for treatment:

1. No needles in the LEFT arm due to decreased circulation and high risk of infection.
2. Immobilize the arm if injury is suspected.
3. No blood pressure readings in the LEFT arm.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

## EMERGENCY MEDICAL ALERT

I have a LEFT brachial plexus injury.  
Please follow the guidelines below for treatment:

1. No needles in the LEFT arm due to decreased circulation and high risk of infection.
2. Immobilize the arm if injury is suspected.
3. No blood pressure readings in the LEFT arm.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

## EMERGENCY MEDICAL ALERT

I have a LEFT brachial plexus injury.  
Please follow the guidelines below for treatment:

1. No needles in the LEFT arm due to decreased circulation and high risk of infection.
2. Immobilize the arm if injury is suspected.
3. No blood pressure readings in the LEFT arm.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

## EMERGENCY MEDICAL ALERT

I have a RIGHT brachial plexus injury.  
Please follow the guidelines below for treatment:

1. No needles in the RIGHT arm due to decreased circulation and high risk of infection.
2. Immobilize the arm if injury is suspected.
3. No blood pressure readings in the RIGHT arm.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

## EMERGENCY MEDICAL ALERT

I have a RIGHT brachial plexus injury.  
Please follow the guidelines below for treatment:

1. No needles in the RIGHT arm due to decreased circulation and high risk of infection.
2. Immobilize the arm if injury is suspected.
3. No blood pressure readings in the RIGHT arm.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

## EMERGENCY MEDICAL ALERT

I have a RIGHT brachial plexus injury.  
Please follow the guidelines below for treatment:

1. No needles in the RIGHT arm due to decreased circulation and high risk of infection.
2. Immobilize the arm if injury is suspected.
3. No blood pressure readings in the RIGHT arm.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

## EMERGENCY MEDICAL ALERT

I have a RIGHT brachial plexus injury.  
Please follow the guidelines below for treatment:

1. No needles in the RIGHT arm due to decreased circulation and high risk of infection.
2. Immobilize the arm if injury is suspected.
3. No blood pressure readings in the RIGHT arm.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

### EMERGENCY MEDICAL ALERT

I have a BILATERAL brachial plexus injury.  
Please follow the guidelines below for treatment:

1. Special care with needles due to decreased circulation and high risk of infection.
2. Immobilize the arm(s) if injury is suspected.
3. Blood pressure readings may differ.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

### EMERGENCY MEDICAL ALERT

I have a BILATERAL brachial plexus injury.  
Please follow the guidelines below for treatment:

1. Special care with needles due to decreased circulation and high risk of infection.
2. Immobilize the arm(s) if injury is suspected.
3. Blood pressure readings may differ.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

### EMERGENCY MEDICAL ALERT

I have a BILATERAL brachial plexus injury.  
Please follow the guidelines below for treatment:

1. Special care with needles due to decreased circulation and high risk of infection.
2. Immobilize the arm(s) if injury is suspected.
3. Blood pressure readings may differ.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

### EMERGENCY MEDICAL ALERT

I have a BILATERAL brachial plexus injury.  
Please follow the guidelines below for treatment:

1. Special care with needles due to decreased circulation and high risk of infection.
2. Immobilize the arm(s) if injury is suspected.
3. Blood pressure readings may differ.
4. Careful positioning for xray, CT scan, MRI & medical treatments / procedures / surgeries.

## **BRACHIAL PLEXUS INJURIES**

The brachial plexus is a network of nerves that control the muscles of the shoulder, arm, elbow, wrist, hand and fingers. Injury to the brachial plexus can result in full to partial paralysis of one or both arms. Stretching, tearing and other trauma can cause this type of injury. It can occur during the birthing process or due to automobile, motorcycle, or boating accidents; gunshot wounds; sports injuries; specific medical treatments/procedures/surgeries; or due to viral causes. For more information go to [www.ubpn.org](http://www.ubpn.org) or call UBPN, Inc. at 1-866-877-7004.

## **BRACHIAL PLEXUS INJURIES**

The brachial plexus is a network of nerves that control the muscles of the shoulder, arm, elbow, wrist, hand and fingers. Injury to the brachial plexus can result in full to partial paralysis of one or both arms. Stretching, tearing and other trauma can cause this type of injury. It can occur during the birthing process or due to automobile, motorcycle, or boating accidents; gunshot wounds; sports injuries; specific medical treatments/procedures/surgeries; or due to viral causes. For more information go to [www.ubpn.org](http://www.ubpn.org) or call UBPN, Inc. at 1-866-877-7004.

## **BRACHIAL PLEXUS INJURIES**

The brachial plexus is a network of nerves that control the muscles of the shoulder, arm, elbow, wrist, hand and fingers. Injury to the brachial plexus can result in full to partial paralysis of one or both arms. Stretching, tearing and other trauma can cause this type of injury. It can occur during the birthing process or due to automobile, motorcycle, or boating accidents; gunshot wounds; sports injuries; specific medical treatments/procedures/surgeries; or due to viral causes. For more information go to [www.ubpn.org](http://www.ubpn.org) or call UBPN, Inc. at 1-866-877-7004.

## **BRACHIAL PLEXUS INJURIES**

The brachial plexus is a network of nerves that control the muscles of the shoulder, arm, elbow, wrist, hand and fingers. Injury to the brachial plexus can result in full to partial paralysis of one or both arms. Stretching, tearing and other trauma can cause this type of injury. It can occur during the birthing process or due to automobile, motorcycle, or boating accidents; gunshot wounds; sports injuries; specific medical treatments/procedures/surgeries; or due to viral causes. For more information go to [www.ubpn.org](http://www.ubpn.org) or call UBPN, Inc. at 1-866-877-7004.